




# KNX MT Gateway

Accessing the EIB/KNX with AMX/Crestron/other mediatechnic controllers



## Highlights

- Simple access to the EIB/KNX
- Standard ASCII-Code
- Supports all group addresses simultaneously
- Supports all EIS-types
- Simple setup using a terminal program
- Built in german and english help texts
- Fully transparent even at 100% bus load
- Built in filter- and EIS-type tables
- All values read- and writeable using plain text
- Simple integration of the EIB/KNX into own systems (PC, Microcontroller, Linux,...)
- Built in bus coupling unit
- Standard RS-232 Interface, no system drivers required
- Rail mounted device (9TE = 158mm) with integrated 100V - 240V wide range power supply

## Fields of application

The KNX Medientechnik Gateway is basically an EIB ASCII Terminal device in a DIN rail housing case. It comes with example programs for AMX mediacontrollers, but the easy RS-232 handling of the gateway makes it simple to adapt other media controllers as well: although the KNX Medientechnik Gateway contains a large instruction set, usually three command sequences will suffice:

Write a value to a group address: "W groupaddress = value", e.g. "W1/2/3=1"

Request a value from a group address: "R groupaddress", e.g. "R1/2/3"

Listening to group address telegrams: a "Physical address > group address=value" sequence will be send from the gateway to the RS-232 when a telegram is detected. If the device "2.3.4" is sending the value "1" to the group address "3/2/1", you will receive a "02.03.04>03/02/001=1" sequence. You can even let the gateway filter the incoming data, or tell the gateway that you want to use specific data formats.

## Contents of delivery

- KNX Medientechnik Gateway
- Parametrization software b+b Terminal
- Documentation

## b+b Automations- und Steuerungstechnik GmbH

Beerfelden Site I · Dieselstraße 18 · Airlenbach Site II · Eichenstraße 38a · 64760 Oberzent (Germany)

phone: +49 (0) 6068 9310-0 · fax: +49 (0) 6068 9310-99

info@bb-automation.com · www.bb-automation.com

